

MOUNTS

When it comes to installing antennas, installers today face new challenges every day. Automobile manufacturers create sleek new designs with curved surfaces that utilize less and less metal. In addition, people are less willing to drill a hole in these relatively expensive new cars. This creates a real problem when trying to install an antenna to achieve maximum performance.

Larsen recognizes this issue, and has developed a full line of permanent and temporary mounts to solve virtually every installation problem.

Each Larsen mount is manufactured of the highest quality materials, including premium coax.

If you have a special requirement not represented, contact the factory and we will do our best to help solve your problem.

Note: Connectors shipped loose/uninstalled with all mounting kits except MM and MMR magnetic mounts. FME universal adapter installed on all kits.



MODEL	
LABBLK	Mounting hardware only, Black
SPECIFICATIONS	
SIZE	3/8" hole, snap-in
TYPE	5/16" x 24 THDS



MODEL		CONNECTOR	
LAKB		PL-259	
SPECIFICATIONS			
SIZE		3/8" hole, snap-in	
TYPE		5/16" x 24 THDS	
COAX		17' RG-58A/U	



MODEL	
LMB	Mounting hardware only, Black
LMB1/4	Mounting hardware only, 1/4" longer stud
LMB1/2	Mounting hardware only, 1/2" longer stud
SPECIFICATIONS	
SIZE	3/4" hole
TYPE	5/16" x 24 THDS



MODEL		CONNECTOR	
LMKNOCONN		No Conn	
LMKFME		FME CRIMP	
LMKMPL		MPL CRIMP	
LMKN		N CRIMP	
LMK		PL-259	
LMKTNC		TNC CRIMP	
SPECIFICATIONS			
SIZE		3/4" hole	
TYPE		5/16" x 24 THDS	
COAX		17' RG-58A/U	



MODEL	CONNECTOR
LMKDS	No Conn
LMKDSFME	FME CRIMP
LMKDSMPL	MPL CRIMP
LMKDSN	N CRIMP
LMKDSTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	5/16" x 24 THDS
COAX	17' RG-58A/U Dual Shield

MODEL	CONNECTOR
LMKUD	No Conn
LMKUDFME	FME CRIMP
LMKUDMPL	MPL CRIMP
LMKUDN	N CRIMP
LMKUDTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	5/16" x 24 THDS, roof mount
COAX	17' RG-58/U Dual Shield

MODEL	CONNECTOR
LMK1/4NC	No Conn
LMK1/4	PL-259

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Roof mount 1/4" longer stud
COAX	17' RG-58A/U



MODEL	CONNECTOR
LMMMFME	FME CRIMP
LMMMPL	MPL CRIMP
LMMM	58FCP
LMMMTNC	TNC CRIMP
LMMMBNC	BNC CRIMP
LMMMPL	PL-259

SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	5/16" x 24 THDS, mag mount
COAX	17' RG-58A/U
PULL STRENGTH	90lbs

MODEL	CONNECTOR
LMMMDS	No Conn
LMMMDFME	FME CRIMP
LMMDSMPL	MPL CRIMP
LMMMDSN	N CRIMP
LMMMDSPL	PL-259T
LMMMDSTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	5/16" x 24 THDS, mag mount
COAX	12' RG-58A/U Dual Shield

MODEL	CONNECTOR
LMMMRNOCONN	No Conn
LMMMRFME	FME CRIMP
LMMMRMPL	MPL CRIMP
LMMMRN	N CRIMP
LMMMR	58FCP
LMMMR TNC	TNC CRIMP
LMMMRBNC	BNC CRIMP
LMMMRPL	PL-259

SPECIFICATIONS	
SIZE	3-1/2" round
TYPE	5/16" x 24 THDS, round mag mount
COAX	12' RG-58A/U

MOUNTS



MODEL	CONNECTOR
LMMMRDS	No Conn
LMMMRDSFME	FME CRIMP
LMMMRDSMPL	MPL CRIMP
LMMMRDSN	N CRIMP
LMMMRDSPL	PL-259T
LMMMRDSTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3-1/2" round
TYPE	5/16" x 24 THDS, round mag mount
COAX	12' RG-58A/U Dual Shield
PULL STRENGTH	90lbs



MODEL	CONNECTOR
LMTMB	PL-259

SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	5/16" x 24 THDS, trunk gutter bracket, chrome
COAX	17' RG-58A/U



MODEL	CONNECTOR
LMTMBDS	Order Separately

SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	5/16" x 24 THDS, trunk gutter bracket, chrome
COAX	17' RG-58A/U Dual Shield



MODEL	CONNECTOR
LMTLP	PL-259

SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	5/16" x 24 THDS, trunk lid mount
COAX	17' RG-58A/U



MODEL	CONNECTOR
LMTLPDS	Order separately

SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	5/16" x 24 THDS, trunk lid mount
COAX	17' RG-58A/U Dual Shield



MODEL	CONNECTOR
LMTLPSCUD	Order separately

SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	5/16" x 24 THDS, trunk lid mount
COAX	1' RG174, 17' RG-58/U Dual Shield



MODEL	CONNECTOR
LMTLM	PL-259
SPECIFICATIONS	
SIZE	2-1/2" x 2-1/2"
TYPE	5/16" x 24 THDS trunk lid mount, chrome
COAX	17' RG-58A/U

MODEL	CONNECTOR
LMTLMB	PL-259
SPECIFICATIONS	
SIZE	2-1/2" x 2-1/2"
TYPE	5/16" x 24 THDS trunk lid mount, black
COAX	17' RG-58A/U

MODEL	CONNECTOR
NMOB	Mounting hardware only
SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Motorola style



MODEL	CONNECTOR
NMOB38	Mounting hardware only
SPECIFICATIONS	
SIZE	3/8" hole snap-in
TYPE	Motorola style

MODEL	CONNECTOR
NMOBLCP	Mounting hardware only
SPECIFICATIONS	
SIZE	3/4" hole lg. contact pin
TYPE	Motorola style

MODEL	CONNECTOR
NMOBTHK	Mounting hardware only
SPECIFICATIONS	
SIZE	3/8" hole
TYPE	Thick surface Motorola style mounting hardware only, up to 1/4" thick surface

MOUNTS



MODEL	CONNECTOR
NMOKNOCONN	No Conn
NMOKFME	FME CRIMP
NMOKMPL	MPL CRIMP
NMOKN	N CRIMP
NMOK	PL-259
NMOKTNC	TNC CRIMP
NMOKBNC	BNC CRIMP

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Motorola style roof mount
COAX	17' RG-58A/U

MODEL	CONNECTOR
NMOKDS	No Conn
NMOKDSFME	FME CRIMP
NMOKDSMPL	MPL CRIMP
NMOKDSN	N CRIMP
NMOKDSPL	PL-259T
NMOKDSTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Motorola style roof mount
COAX	17' RG-58A/U Dual Shield

MODEL	CONNECTOR
NMOKUD	No Conn
NMOKUDFME	FME CRIMP
NMOKUDMPL	MPL CRIMP
NMOKUDN	N CRIMP
NMOKUDPL	PL-259T
NMOKUDTNC	TNC CRIMP

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Motorola style roof mount
COAX	17' RG-58/U Dual Shield



MODEL	CONNECTOR
NMOKLCP	PL-259

SPECIFICATIONS	
SIZE	3/4" hole
TYPE	Motorola style roof mount, large contact pin
COAX	17' RG-58A/U

MODEL	CONNECTOR
NMOKTHK	PL-259

SPECIFICATIONS	
SIZE	3/8" hole
TYPE	Motorola style thick surface roof mount, up to 1/4"
COAX	17' RG-58A/U

MODEL	CONNECTOR
NMOKTHKDS	Order Separately

SPECIFICATIONS	
SIZE	3/8" hole
TYPE	Motorola style thick surface roof mount, up to 1/4"
COAX	17' RG-58A/U Dual Shield



MODEL	CONNECTOR
NMOK38	PL-259
SPECIFICATIONS	
SIZE	3/8" hole snap-in
TYPE	Motorola style roof mount
COAX	17' RG-58A/U



MODEL	CONNECTOR
NMOMNOCNN	No Conn
NMOMMPL	MPL CRIMP
NMOMM	58FCP
NMOMMBNC	BNC CRIMP
NMOMMPL	PL-259
SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	Motorola style mag mount
COAX	12' RG-58A/U
PULL STRENGTH	90lbs



MODEL	CONNECTOR
NMOMMDS	No Conn
NMOMMDSFME	FME CRIMP
NMOMMDSMPL	MPL CRIMP
NMOMMDSN	N CRIMP
NMOMMDSSTNC	TNC CRIMP
SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	Motorola style mag mount
COAX	12' RG-58A/U Dual Shield
PULL STRENGTH	90lbs



MODEL	CONNECTOR
NMOMMRNOCNN	No Conn
NMOMMRFME	FME CRIMP
NMOMMRMPL	MPL CRIMP
NMOMMRN	N CRIMP
NMOMMR	58FCP
NMOMMRTNC	TNC CRIMP
NMOMMRBNC	BNC CRIMP
NMOMMRPL	PL-259
SPECIFICATIONS	
SIZE	3-1/2" round
TYPE	Motorola style round mag mount
COAX	12' RG-58A/U
PULL STRENGTH	90lbs



MODEL	CONNECTOR
NMOTMB	PL-259
SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	Motorola style trunk gutter, chrome
COAX	17' RG-58A/U



MODEL	CONNECTOR
NMOMMRDS	No Conn
NMOMMRDSFME	FME CRIMP
NMOMMRDSMPL	MPL CRIMP
NMOMMRDSN	N CRIMP
NMOMMRDSPL	PL-259T
NMOMMRDSTNC	TNC CRIMP
SPECIFICATIONS	
SIZE	3-1/2" round
TYPE	Motorola style round mag mount
COAX	12' RG-58A/U Dual Shield
PULL STRENGTH	90lbs

MOUNTS



MODEL	CONNECTOR
NMOTMBDS	Order Separately
SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	Motorola style trunk gutter bracket, chrome
COAX	17' RG-58A/U Dual Shield



MODEL	CONNECTOR
NMOTMBB	PL-259
SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	Motorola style trunk gutter bracket, black
COAX	17' RG-58A/U



MODEL	CONNECTOR
NMOTLP	PL-259
SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	Motorola style trunk lid mount
COAX	17' RG-58A/U



MODEL	CONNECTOR
NMOTLPDS	Order Separately
SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	Motorola style trunk lid mount
COAX	17' RG-58A/U Dual Shield



MODEL	CONNECTOR
NMOTLPSCUD	Order Separately
SPECIFICATIONS	
SIZE	2-1/2" x 2"
TYPE	Motorola style trunk lid mount
COAX	1' RG174, 17' RG-58/U Dual Shield



MODEL	CONNECTOR
NMOTLM	PL259
SPECIFICATIONS	
SIZE	2-1/2" x 2-1/2"
TYPE	Motorola style trunk lid mount, chrome
COAX	17' RG-58A/U



MODEL	CONNECTOR
NMOTLMBNOCONN	No Conn
NMOTLMB	PL-259
SPECIFICATIONS	
SIZE	2-1/2" x 2-1/2"
TYPE	Motorola style trunk lid mount, black
COAX	17' RG-58A/U

MODEL	CONNECTOR
NMOMBNC	Order Separately
SPECIFICATIONS	
SIZE	2" x 2"
TYPE	NMO mirror mount
COAX	17' RG-58/U Dual Shield

MODEL	CONNECTOR
POB	Mounting hardware only
SPECIFICATIONS	
SIZE	3/4" hole
TYPE	SO-239 female type



MODEL	CONNECTOR
POKNOCONN	No Conn
POK	PL-259
SPECIFICATIONS	
SIZE	3/4" hole
TYPE	SO-239 female type roof mount
COAX	17' RG-58A/U

MODEL	CONNECTOR
POMM	58FCP
SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	SO-239 female type mag mount
COAX	17' RG-58A/U
PULL STRENGTH	90lbs

MODEL	CONNECTOR
POMMDS	No Conn
POMMDSBNC	BNC CRIMP
SPECIFICATIONS	
SIZE	3-1/2" x 3" rectangle
TYPE	SO-239 female type mag mount
COAX	17' RG-58A/U Dual Shield
PULL STRENGTH	90lbs

MOUNTS



MODEL	CONNECTOR
POMMR	58FCP
SPECIFICATIONS	
SIZE	3-1/2" x 3" round
TYPE	SO-239 female type mag mount
COAX	17' RG-58A/U
PULL STRENGTH	90lbs



MODEL	CONNECTOR
POTMB	PL-259
SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	SO-239 female type chrome trunk gutter bracket
COAX	17' RG-58A/U



MODEL	CONNECTOR
POTMBB	PL-259
SPECIFICATIONS	
SIZE	1-3/4" x 1-3/4"
TYPE	SO-239 female type black trunk gutter bracket
COAX	17' RG-58A/U



MODEL	HOLE SIZE
TMBOM	3/4"
SPECIFICATIONS	
TYPE	Chrome trunk gutter bracket for OM antennas, screws included



MODEL	HOLE SIZE
TMB34	3/4"
TMB38	3/8"
TMB58	5/8"
SPECIFICATIONS	
SIZE	2" x 2"
TYPE	Chrome trunk gutter bracket, screws included



MODEL	HOLE SIZE
TMB34B	3/4"
TMB38B	3/8"
TMB58B	5/8"
SPECIFICATIONS	
SIZE	2" x 2"
TYPE	Black trunk gutter bracket, screws included



MODEL	HOLE SIZE
TLM34	3/4"
TLM38	3/8"
TLM58	5/8"

SPECIFICATIONS	
SIZE	2.5" x 2.5"
TYPE	Chrome trunk lid mount, screws included

MODEL
MB38

SPECIFICATIONS	
SIZE	3/8" hole
TYPE	Chrome mirror mount bracket only for 3/8" holes

Advantage Communications 800 851 RADIO